

**REI**<sup>®</sup>



AGRICULTURE, CONSTRUCTION, UTILITY

AND OTHER EQUIPMENT APPLICATIONS



AGCO  
 Yanmar  
 Case  
 John Deere  
 Kubota  
 MacDon  
 New Holland  
 JCB  
 McCormick

### Mitigate risks and stay connected

with heavy-duty, audio/video and safety solutions by REI.

Our innovative solutions are engineered and manufactured for durability and reliability to power through the days with you. Each is rigorously tested to withstand:

- Vibration
- Dynamic loads
- Extreme temperatures
- Power fluctuations
- Humidity
- Years of rugged use

We're proud to offer the following for commercial and industrial use:

- Radios
- Radio harnesses
- Speakers
- Mounting kits
- Antennas
- Camera observation kits
- Cables

Beyond durability and superior performance, REI products feature seamless integration with existing solutions.

Trust a longstanding innovator with hundreds of satisfied OEMs in the agriculture, construction and commercial vehicle markets.

Contact REI today.



## CONTENTS

HEAVY-DUTY RADIOS . . . . . 4  
 RADIO HARNESSES . . . . . 6  
 RADIO KITS . . . . . 14  
 SPEAKERS . . . . . 17  
 ANTENNAS . . . . . 19  
 ACCESSORIES . . . . . 20  
 CAMERA OBSERVATION . . . . . 21  
 SUPPORT AND WARRANTY . . . . . 22

### REI is superior

- Custom solutions for OEMs
- All-in-one solutions provider
- More than 80 years of industry experience
- 24/7/365 Support based in the U.S.
- Outstanding warranty program

engineered to defy the elements

# heavy-duty, in-dash radios

# radio comparison

## ST-1000

AM/FM/WB Stereo Radio  
(2.75" shallow-depth chassis)



AUX WB

ITEM	PART #
ST-1000 with ISO connector	710831

## VR-5650

AM/FM/CD/DVD Stereo Radio with Bluetooth®



CD MP3 USB BT AUX WB DVD iPod

ITEM	PART #
VR-5650 with ISO connector	710767

## AW-20

AM/FM/WB Stereo Radio  
(3.21" shallow-depth chassis)



MP3 WMA USB AUX BT WB

ITEM	PART #
AW-20	710617

## ST-4050

AM/FM/WB Stereo Radio  
(2.93" shallow-depth chassis)



MP3 WMA USB AUX WB iPod

ITEM	PART #
ST-4050 with ISO connector	710738

## ST-5050

AM/FM/WB Stereo Radio  
(2.93" shallow-depth chassis)



MP3 WMA USB BT AUX WB iPod

ITEM	PART #
ST-5050 with ISO connector	710717

## AW-30

AM/FM/WB/USB Stereo Radio  
with Bluetooth®



MP3 WMA USB AUX BT WB

ITEM	PART #
AW-30	710852



	AW-20	AW-30	ST-1000	ST-4050	ST-5050	VR-5650
Depth	Shallow	Shallow	Shallow	Shallow	Shallow	Standard
Preset stations	12 FM/6 AM 7 WB	18 FM/12 AM 7 WB	18 FM/12 AM 7 WB	18 FM/12 AM 7 WB	18 FM/12 AM 7 WB	18 FM/12 AM 7 WB
Power output	50 Watts x 4	25 Watts x 2	50 Watts x 2	50 Watts x 4	50 Watts x 4	50 Watts x 4
Operating voltage	+12 VDC	+12/24 VDC	+12 VDC	+12 VDC	+12 VDC	+12 VDC
Compact disc with anti-skip mechanism						•
CD/DVD player						•
MP3/WMA playback	•	•		•	•	•
WB (Weather Band)	•	•	•	•	•	•
<b>USB</b>						
Front-panel type-A input				•		
Rear type-A input	•	•			•	•
Smartphone charge port in USB MODE	1.0A	1.0A		1.5A	1.5A	1.5A
<b>Bluetooth™</b>						
Audio streaming	•	•			•	•
Hands-free calling		•			•	•
<b>Smartphone/portable media player<sup>1</sup></b>						
Built-in iPod®/iPhone®1/Andriod charging	•	•		•	•	•
Built-in iPod®/iPhone®1 controls				•	•	•
<b>AUX</b>						
Front panel connects iPods, MP3 players and portable media players			•	•	•	•
Rear/RCA audio input jack	•	•	•	•	•	•
USA/EURO radio frequency modes	•	•	•	•	•	•
Station presets stored during power loss	•	•	•	•	•	•
Clock		•	•	•	•	•
Coin cell battery (10 years)		SUPERCAP		•	•	•
RDS text <sup>2</sup>	•	•	•	•	•	•
Radio chassis connector	ISO	9PIN	ISO	ISO	ISO	ISO
SAE J1455 compliant	•	•	•	•	•	•

<sup>1</sup> Early-model iPods are not supported because they do not implement the USB control protocol. They may be connected to the radio using auxiliary inputs if available.

<sup>2</sup> Radio stations broadcasting RDS may not be available in your listening area.

For specialty radios, see pages 14-16.

# radio harnesses

## AGCO

Speaker Power  
AGCO




511644

15" ISO Connector to bare wires



512202

D6 to Wire  
AGCO



511834

## KUBOTA

D6 to Kubota/L-10 Series  
Kubota/New Holland/LS Tractor



512228



511655

Speaker Power  
AGCO/Kubota



511644

ISO to Kubota



530175

ISO to Kubota  
M6 Series



512353

## CASE/IH

ISO Power Adapter  
Case/IH/JCB/McCormick/New Holland/LS Tractor



512231

## CATERPILLAR

D6 Radios



511755


ISO



512991

## KIOTI

D6 to Kioti




513041



512643

## KOMATSU

24V



512994

## MAHINDRA/KUBOTA


ISO to Mahindra



512353

## DOOSAN


24V



512992

## HITACHI


24V



512484

## HYUNDAI

24V



512993

## NEW HOLLAND BOOMER/LS TRACTOR

D6 to Yazaki



512767

ISO to Yazaki



513042

## TYM

D6 to TYM



512561


## JOHN DEERE

Speaker/Power Adapter



510817


55/60 Series Row Crop



512179




510818




512178

ISO to John Deere 13-Pin



512179

CLC Excavators




512484

Mini Excavator  
John Deere/Kubota



511255

Adapter to John Deere 6-Pin




513040



510728


## YANMAR

YT2/YT3




513015

ISO to Yanmar VIO80/SV 100-1



513039

75/100 Series



512255

REI also supports the following dealers:

- Bobcat
- Branson
- Daewoo
- DEUTZ-FAHR
- Gehl/Mustang
- Kenworth
- Kioti
- Komatsu
- Mahindra
- Manitou
- Peterbilt
- Sterling
- TYM
- Volvo

Call 800.228.9275 for more information.

# radio applications

## AGCO

TRACTOR MODEL	RADIO PART #			
	VR-5650 710767	ST-1000 710831	ST-5050 710717	ST-4050 710738
<b>AGCO DT Series</b>				
A, 120	•		•	•
160, 180, 200, 225	•		•	•
B		•		
<b>AGCO GT Series</b>				
AGCO GT Series (older models with cab)	•		•	•
AGCO GT Series (older models with canopy)	Use any roof-mount or fender-mount radio			
AGCO GT Series (older models without cab or canopy)	Use any fender-mount radio			
<b>AGCO LT Series</b>				
A, 70, 75, 85, 90	•		•	•
<b>AGCO RT Series</b>				
95, 115	•		•	•
130, 145	•		•	•
100, 120, 135, 150	•		•	•
<b>AGCO ST Series</b>				
<b>Challenger MT Series</b>				
300				
445, 455, 465, 535, 545	•	•	•	•
565, 635, 645, 655, 665, 765	•		•	•
B Series	•		•	•
C	•	•	•	•
<b>Fendt Series</b>				
400, 700, 900	•		•	•
926	•		•	•
<b>Gleaner Combines</b>				
<b>Hesston</b>				
Hesston 9635 SP Windrower	•	•	•	•
Other Hesston Windrowers	•		•	•
<b>Massey Ferguson Combines</b>				
8680, 8780	•		•	•
<b>Massey Ferguson Swathers</b>				
220 Series II				
2650				
1500				
8560	•	•	•	•
300, 1635, 1700, 4600	•	•	•	•

For harness information, please contact Sales.

## AGCO

TRACTOR MODEL	RADIO PART #			
	VR-5650 710767	ST-1000 710831	ST-5050 710717	ST-4050 710738
<b>Massey Ferguson Tractors</b>				
400, 500, 533, 543, 563, 573, 583, 593, 596	•		•	•
4300 Orchard Cab	•	•	•	•
4608, 4610	•		•	•
4700	•		•	•
7600				
8600				
<b>Spra-Coupe</b>				
4460	•	•	•	•
Melrose	•		•	•

## CASE/IH

TRACTOR MODEL	RADIO PART #			
	VR-5650 710767	ST-1000 710831	ST-5050 710717	ST-4050 710738
86-88	750225 Case/IH 86/88 Series kit (AM/FM/WB) includes mounting panel			
90-94-96 (cut and splice)				
1400 and 1600 Combine (cut and splice)				
2100 Series Combine				
2300 Series Combine	•		•	•
8010 Combine	•	•	•	•
CX	•	•	•	•
DX	•	•	•	•
Farm All	•	•	•	•
JX 65, 80, 95	•	•	•	•
JXU	•	•	•	•
Maxxum and Magnum (early series)	•		•	•
9230 (9000 Series)	•		•	•
MX 110, 120, 180, 200	•	•	•	•
MX 230	•	•	•	•
MX 270	•	•	•	•
MXM	•	•	•	•
Puma	•	•	•	•
STX	•	•	•	•
WDX Windrowers	•		•	•
2007 and later	•	•	•	•

For harness information, please contact Sales.

# radio applications

## JCB

TRACTOR MODEL	RADIO PART #			
	VR-5650 710767	ST-1000 710831	ST-5050 710717	ST-4050 710738
JCB	•	•	•	•

## JOHN DEERE

TRACTOR MODEL	RADIO PART #			
	VR-5650 710767	ST-1000 710831	ST-5050 710717	ST-4050 710738
10 Series	•		•	
15 Series	•	•	•	•
20 Series	•	•	•	•
25 Series	•	•	•	
30/40 Series				
R4030 Sprayer	•	•	•	
50 Series				
55/60 Series Row Crop	•	•	•	
60/70 Series 4WD	•		•	
5000 Series	•	•	•	
5055E	•	•	•	
5075E	•	•	•	
5085E	•	•	•	
5090E	•	•	•	
5100E	•		•	
5125R	•		•	
5085M	•	•	•	
5090M	•	•	•	
5100M	•	•	•	
5115M	•	•	•	
5090R, 5100R, 5115R, 5125R	•	•	•	
6000/7000/8000 Series	•		•	
7700	•		•	
7800	•		•	
6120M	•		•	
6150M	•		•	
8130	•	•	•	
8410	•		•	
9360R	•	•	•	
Combine Pre-1991	•		•	•
Combine 1991-2005	•		•	•
Combine 2006 and later	•	•	•	•

For harness information, please contact Sales.

## JOHN DEERE

TRACTOR MODEL	RADIO PART #			
	VR-5650 710767	ST-1000 710831	ST-5050 710717	ST-4050 710738
John Deere Construction Equipment				
Mini Excavator				
CLC Excavators	•	•	•	•
Motor Graders	•	•	•	•
Wheel Loaders	•	•	•	•

## KUBOTA

TRACTOR MODEL	RADIO PART #			
	VR-5650 710767	ST-1000 710831	ST-5050 710717	ST-4050 710738
M Series 4900, 5700, 6800, 8200, 9000	•		•	•
Other M, L and RTV 1100 Series	•		•	•
Kubota Mini Excavator				
Kubota M6-1111	•	•	•	•
Kubota KX057-4 and U55 Excavator				
	750239 (Kit includes ST-1000 AM/FM/WB/AUX, bullet connector wiring harness and mounting bracket. Compatible with new and old excavators.)			

## LS TRACTOR

TRACTOR MODEL	RADIO PART #			
	VR-5650 710767	ST-1000 710831	ST-5050 710717	ST-4050 710738
XR Series	•			•
MT 125	•	•	•	•
MT 225 S	•	•	•	•

## MACDON

TRACTOR MODEL	RADIO PART #		
	VR-5650 710767	ST-5050 710717	ST-4050 710738
MacDon	•	•	•

For harness information, please contact Sales.

# radio applications

## McCORMICK

TRACTOR MODEL	RADIO PART #			
	VR-5650 710767	ST-1000 710831	ST-5050 710717	ST-4050 710738
McCormick	•	•	•	•

## KIOTI TRACTOR

TRACTOR MODEL	RADIO PART #		
	VR-5650 710767	ST-5050 710717	ST-4050 710738
Kioti	•	•	•

## NEW HOLLAND

TRACTOR MODEL	RADIO PART #			
	VR-5650 710767	ST-1000 710831	ST-5050 710717	ST-4050 710738
40/60 Series, Case CX				
A Series	•	•	•	•
Boomer Series 33-47, 3000, CVT	•		•	•
Genesis and Versatile	•		•	•
8770 (70 Genesis Series)	•		•	•
Power Star 40	•	•	•	•
Power Star 60	•	•	•	•
TG, TL, TM, TJ, TN, TS	•	•	•	•
2450, 2550 Windrower	•		•	•
TR 87, 96, 97	•		•	•
TV 140	•		•	•
TW	•		•	•
LB90.B (Backhoe)	•	•	•	•
2007 and later	•	•	•	•

# construction equipment

## YANMAR

TRACTOR MODEL	RADIO PART #			
	VR-5650 710767	ST-1000 710831	ST-5050 710717	ST-4050 710738
<b>Yanmar Mini Excavators</b>				
VIO35-6A, VIO45-6A, VIO50-6A, VIO55-6A, SV40	760937 (Kit includes ST-1000 AM/FM/WB/AUX radio, custom mounting bracket and antenna) or kit 760950 (ST-5050 Bluetooth radio, custom mounting bracket and antenna)			
VIO80				•
VIO80-1	760955 (Kit includes ST-5050 Bluetooth radio and 512968 wiring harness.)			•
VIO80-1A, SV100-2A	760955 (Kit includes ST-5050 Bluetooth radio and 512968 wiring harness.)			
SV100*	•		•	•
SV100-1				•
VIO 27, 35, 45, 55-5B				
<b>YanMar Mini Excavators</b>				
V4-7, V8, V10, V12		•	•	•
V4-6	(210066 antenna and 220040 4" speakers required.)		•	•

\*750209 Kit includes two 4"-square speakers and wiring harness.

# radio kits


## Yanmar Custom Kits



AM FM AUX WB



AM FM AUX WB BT



AM FM AUX WB BT

### Kit includes:

- Flexible AM/FM antenna with 60' cable (210066)
- Mounting hardware

ITEM	PART #
ST-1000 Yanmar A Series Excavator Kit	760937
ST-5050 Yanmar A Series Excavator Kit	760950
ST-5050 Yanmar VI080-1, SV100-2 Excavator Kit	760955
ST-5050 Yanmar VI080-7, SV100-7 Excavator Kit	760973

## AW-20 Kit w/ Universal-Mount Bracket



MP3 WMA USB BT AM FM AUX WB

- Two 4" weatherproof speakers
- Universal mounting bracket
- Great solution for skid steers and smaller equipment

ITEM	PART #
AW-20 Kit	750292

## AW-30 Kit w/ Universal-Mount Bracket



MP3 WMA USB BT AM FM AUX WB

- Two 4" weatherproof speakers
- Universal antenna

ITEM	PART #
AW-30 Kit	760974

## Roof-Mount Stereo Universal Housings



FM AUX WB

- Universal mounting
- 7.75" W x 8.5" H x 5.25" D
- 12 VDC negative ground
- Includes antenna with 60" cable

ITEM	PART #
ST-1000 Roof-Mount Kit with bare wires	760914



AM FM AUX WB

- Universal mounting
- 21.5" W x 2.7" H x 8.75" D
- 12 VDC negative ground

ITEM	PART #
REC-2-4W ST-1000	760910

## Roof-Mount Stereo Universal Housings



MP3 WMA USB BT iPod AM FM AUX WB

- Flexible AM/FM antenna with 60" cable (210066)
- Mounting hardware

ITEM	PART #
ST-5050 Roof-Mount Kit	760945

## Universal Housings



760871



550344

- Built-in stereo speakers (760871)
- Universal mounting
- 21.75" W x 2.75" H x 9" D (760871)
- 10" W x 3.5" H x 9" D (550344)
- Mounts flush to header
- Includes mounting hardware (550344)

ITEM	PART #
Roof-mount stereo universal housing	760871
Roof-mount stereo universal housing without speakers	550344



## Panel/Bezel Radio Kits



- AM
- FM
- WB

- 12 VDC negative ground

Kit includes:



- OEM replacement housing/bezel
- Harness adapter

ITEM	PART #
ST-1000 for John Deere 30-40 Series - Black Bezel Radio Kit (Not compatible with single-speaker cab system)	701190
ST-1000 for John Deere 50 Series - Brown Bezel Radio Kit	701191

## Panel/Bezel Radio Kits



- AM
- FM
- AUX
- WB

- 2.75" mounting depth
- 12 VDC negative ground

ITEM	PART #
ST-1000 Radio for Case/IH 86/88 Series Radio Kit	750225

## Fender-Mount Radio Kits



- AM
- FM
- AUX
- WB

- Exclusive roll-a-cover design protects from dust and moisture
- 11" W x 11.5" H x 9" D
- 12 VDC negative ground only
- Ideal for open-station cabs

ITEM	PART #
ST-1000 Fender-Mount Kit with bare wires	760909

Kit includes:

- Two built-in stereo speakers
- 1/4" headphone jack
- Mounting hardware


## Speakers in Housings



- 4" two-way coax speakers
- Polypropylene/mylar weatherproof speaker
- UV-protected plastic enclosure
- 120 Watts max power
- 4 OHMS impedance


ITEM	PART #
5" W x 4" H x 3.5" D Speakers in weatherproof black housings (WP-402BKH) (Includes two speakers)	230073

## 4" Square Speaker



- Full-range speaker
- 30 Watts max power
- 4 OHMS impedance

ITEM	PART #
4" Speaker	220040



240027




- 25 Watts max power
- 4 OHMS impedance

ITEM	PART #
4" Speaker	220010




240078

## 4" x 6" Full-Range Speaker




- 25 Watts max power
- 4 OHMS impedance

ITEM	PART #
4" x 6" Full-Range Speaker	220053



Grille 240052

## 5" Speakers



- Full-range speaker
- 30 Watts max power
- 4 OHMS impedance

ITEM	PART #
5" Speaker	220035




Grille 240040



- 5.42" W x 5.42" H x 4.3" D
- 70 Watts max power
- 4 OHMS impedance

ITEM	PART #
5" Dual-Cone Speaker (includes two speakers)	760663

## 5.25" Speaker with Poly Cone




- 10 Watts max power
- 4 OHMS impedance
- 100 Watts max power
- 4 OHMS impedance
- 1" dome tweeter

ITEM	PART #
5.25" Speaker with poly cone - 10W	220015
5.25" Speaker with poly cone - 100W	220067
Speaker and grille	220094



Grille 240060


## Coax Speakers



- 45 Watts max power
- 4 OHMS impedance
- Two-pin harness plug
- 1" dome tweeter




ITEM	PART #
4" Coax Speaker	220062



- 70 Watts max power
- 1" Dome tweeter
- 4 OHMS impedance



ITEM	PART #
5" Coax Speaker	220073




- 50 Watts max power
- Ferrofluid-cooled voice coil
- 4 OHMS impedance




ITEM	PART #
5.25" Coax Speaker	220049

## Speakers with Grilles



- Dual-cone speaker
- 30 Watts max power
- 4 OHMS impedance


ITEM	PART #
4" One-piece speaker with grille	220078
6" One-piece speaker with grille (shown)	220026



- OEM replacement for Case/IH 86/88
- 25 Watts max power
- 4 OHMS impedance

ITEM	PART #
4" x 8" One-piece speaker with grille	230042

## 5" x 7" Full-Range Speaker



- 30 Watts max power
- 4 OHMS impedance

ITEM	PART #
5" x 7" Full-Range Speaker	220037

Reception is crucial. Stay connected with REI antennas and extension cables, available in a variety of models and lengths to fit all types of radios.

## Flexible AM/FM Antennas

### Universal-Mount Antenna




- Flexible, rustproof, wire-wound mast with rubber coating
- Split-ball adjustable base with included 60" antenna cable
- Male Motorola® plug

ITEM	PART #
Flexible AM/FM Antenna with 60" cable	210066
Flexible AM/FM Antenna with 82" cable	210056
Flexible AM/FM Antenna with 192" cable	210123
Replacement Rubber Mast	210067

## AM/FM Top/Side Antenna

### Universal-Mount Antenna



- Single-section 31" steel mast
- Universal top- or side-mount/heavy-duty spring
- Includes 54" antenna cable
- Mast adjustable to 180°
- Male Motorola® plug

ITEM	PART #
AM/FM, Top/Side Universal-Mount Antenna	210098

## Telescoping Antenna


### Pillar-Mount Antenna



ITEM	PART #
Telescoping, Pillar-Mount Antenna with 48" cable	210018

## AM/FM Steel-Mast Antennas

### Side-Mount Antenna



- Male Motorola® plug
- Single-section 31" steel mast
- Includes 54" detachable antenna cable
- Side-mount/heavy-duty spring

ITEM	PART #
AM/FM Steel-Mast, Side-Mount Antenna	210015
Replacement Mast	210137

### Spring-Loaded Antenna



ITEM	PART #
Spring-Loaded, Side-Mount Antenna with 129" cable	210106

## Replacement Mast Kits

### Fender-Mount Radio Antenna



### RAF-4W Fender-Mount Radio Antenna



- Telescoping mast
- Spring-loaded base
- Stainless steel

ITEM	PART #
Fender-Mount Radio Antenna Replacement Mast	210042
RAF-4W Fender-Mount Radio Antenna Replacement Mast Kit with 12" antenna cable	210058

## AM/FM Shark Fin Antenna



ITEM	PART #
AM/FM Shark Fin antenna with integrated amplifier	210145
36" with integrated antenna/power cable, antenna to radio (Motorola® male and 12-volt power wire)	530171
276" with integrated antenna/power cable, antenna to radio (Motorola® and 12-volt power wire)	530170

Note: 530170 or 530171 power cable required.

## FM Signal Booster



- Amplifies FM signal an average of eight times
- Improves radio reception
- Extends station range
- Two-volt maximum total input
- Male Motorola® plug

ITEM	PART #
FM Signal Booster	210103

## Headphones



- Wide, comfortable headband
- Coiled cord
- 1/4"/3.5 mm combination plug
- Independent volume control
- Stereo/mono switch

ITEM	PART #
Headphones	480042L

## USB Input Extension



- USB 2.0
- 10' cable
- Panel mount

ITEM	PART #
USB Input Extension	512485

## Antenna Extension Cables

### Motorola Female to Motorola Male Plugs

ITEM	PART #
24" Extension Cable	530013
36" Extension Cable	530015
48" Extension Cable	530001
96" Extension Cable	530003
144" Extension Cable	530004

## Noise Reduction Filter




- Compatible with most radios
- Easy to mount
- Heavy-duty, 18-gauge lead wires

ITEM	PART #
Noise Reduction Filter	450010

## OEM Bluetooth® Microphone

Designed to plug into Jensen surface-mount radios. See connector image for compatibility.



ITEM	PART #
4-Pin 3.5mm Microfit, 69"	480350


## Aftermarket Bluetooth® Microphone

Designed to plug into Jensen surface-mount radios. See connector image for compatibility.



ITEM	PART #
4-Pin Microfit Connector, 149"	480355
3.5mm Mono Connector, 149"	480356

## Converters/Adapters



ITEM	PART #
EURO Antenna Adapter	110650
FAKRA to EURO Antenna Adapter	210180

Prevent and mitigate accidents around your field or job site with quality-tested camera observation solutions. REI cameras and monitors provide extra visibility, day or night.

## Standard Camera Observation System



Views may be tied to actions like reversing or turning, so drivers always see the most critical areas.

### Kit includes:

- 7" color monitor (also sold separately, 710344)
- Mini Box Camera with heater
- 65' cable

ITEM	PART #
Standard Camera Observation Kit	760920

## Mini Box Camera



- 120° horizontal/50° vertical FOV
- Built-in heater
- 12V DC
- IR for night vision
- Operating temp: -4° to 158° F
- Dust/waterproof (IP69K rating)

ITEM	PART #
Mini Box Camera	710848

## 5" LCD Color Monitor



- 5" diagonal screen
- Waterproof (IP67 rating)
- Single camera view
- Three camera inputs
- Designed for open-station cabs

ITEM	PART #
5" LCD Color Monitor	710528

## Cables

### 5-Pin Female to 5-Pin Female Camera Cables

ITEM	PART #
15' Camera Cable	512400
33' Camera Cable	512401
65' Camera Cable	512369

## Cable Kit

### Cable Kit for Tractor/Trailer



### Kit includes:

- 5' coiled cable with small 5-pin plugs
- Two 33' cables with 5-pin, panel-mount receptacles

ITEM	PART #
5' Cable Kit for tractor/trailer	512399

# support and warranty

Experience complete solutions including 24/7/365 Support. Our team of experts is standing by to offer tech support, diagnose symptoms and provide feedback and instructions to reduce downtime.

**Support: 877.726.4617**

## REI's Limited Warranty

Our warranty covers failures due to defects in materials and workmanship which occur during normal use. We will repair products, free of charge, as follows:

- **Within 90 days from the date of original purchase – speakers, antennas and housings**
- **Within one year from the date of original purchase – radios**

For warranty service, call our Customer Service at 877.726.4617, Monday through Friday, 7 a.m. – 5 p.m. CST.



count on us around the clock

**REI**<sup>®</sup>

6534 L Street, Omaha, NE 68117  
800.228.9275 | 402.339.2200  
[radioeng.com](http://radioeng.com) | 24/7/365 Support